Reply to OA dated February 22, 2007

REMARKS

Claims 1, 6 and 8-13 are pending in this application. The present amendment cancels claims 1 and 13 without prejudice or disclaimer, amends claims 6 and 8-12, and adds new claim 14. Upon entry of this amendment, claims 6, 8-12 and 14 will be pending.

No new matter has been introduced by this Amendment. Support for the amendments to the claims is detailed below.

The rejection of claims 1, 6 and 8-12 under 35 U.S.C. 103(a) as being unpatentable over WO 00/31027 ('027) and Eiermann et al. (U.S. Patent No. 6,531,629 B1) in combination with Nobel et al. (U.S. Patent No. 4,871,429) is maintained. (Office action, page 3)

Reconsideration of the rejection is respectfully requested in view of the amendments to the claims. The rejection of claim 1 is moot in view of the cancellation of claim 1 without prejudice or disclaimer. In the amendment, claims 6, 8, 9, 11 and 12 are amended to be method claims depend from new independent method claim 14, such that all of claims 6 and 8-12 depend ultimately from claim 14.

In new method claim 14, purified aliphatic sulfonic acid obtained by purifying an aliphatic sulfonic acid obtained by hydrolyzing an alkylsulfonyl halide is used as a base acid for the tincoating plating bath. Support for this amendment may be found in original claim 1, and in the general disclosure on page 14 of the specification. In particular, support for the recitation regarding the 200 ppm limit on dimethyldisulfide may be found in original claim 2, the 4 ppm limitation on

the amount of S-methyl methanethiosulfonate may be found in original claim 3, the 4 ppm limitation

on the amount of α-chlorodimethyl sulfone may be found in original claim 4, and the 4 ppm

limitation on the amount of α -methylsulfonyl- α , α -dichlorodimethylsulfone may be found in original

claim 5. The present amendment clarifies that the method of the invention involves adding

component (b), where "component (b) comprises a purified aliphatic sulfonic acid obtained by

purifying an aliphatic sulfonic acid which has been produced by hydrolyzing an alkylsulfonyl

halide."

Since the present claims are amended to be **method** claims, the previously raised issues

regarding the amounts of impurities that would be inherently be present in prior art plating baths, are

now moot. Applicant submits that the prior art does not disclose or suggest the method limitations

of the present claims.

Specifically, Eiermann et al. (US Patent No. 6,531,629) relates to a process for the

preparation of alkanesulfonic acids, and discloses that the obtained alkanesulfonic acids can be used

as additives for a tin plating liquid for printed circuit boards. However, Eiermann et al. discloses, as

the process for preparing alkanesulfonic acids, only a method for oxidizing alkylmercaptans and/or

dialkyl disulfides and/or dialkyl polysulfides with nitric acid, and indicates that an alkanesulfonic

acid obtained by distilling and purifying the alkanesulfonic acid obtained by the method is suitable

for an electrochemical bath.

Applicant submits that Eiermann et al. is totally silent on adverse effects of specific

impurities contained in the alkanesulfonic acid on the properties of tin-containing plating films, and

-6-

that there is no suggestion in Eiermann et al. for using an aliphatic sulfonic acid which has been

produced by hydrolyzing an alkylsulfonyl halide, then purifying. There is also no suggestion in

Eiermann for meeting the limitations of the present claims on the amounts of dimethyldisulfide, S-

methyl methanethiosulfonate, α -chlorodimethylsulfone and α -methylsulfonyl- α , α -

dichlorodimethylsulfone.

Nobel et al. discloses the use of a soluble metal salt in a tin-containing plating bath or a tin

alloy-containing plating bath. However, Nobel also does not suggest using an aliphatic sulfonic acid

which has been produced by hydrolyzing an alkylsulfonyl halide, then purifying, and does not

suggest meeting the limitations of the present claims on the amounts of dimethyldisulfide, S-methyl

methanethiosulfonate, α -chlorodimethylsulfone, and α -methylsulfonyl- α , α -dichlorodimethylsulfone.

In addition to the above arguments, Applicant also submits that the advantages of meeting

the limitations of the present claims are unexpected over the cited references. Both Eiermann and

Nobel et al. are totally silent about adverse effects of specific sulfur-containing compounds on the

properties of plating films in a case where the aliphatic sulfonic acid obtained by hydrolyzing an

alkyl sulfonyl halide is used as a base acid for a tin-coating plating bath, which have been

demonstrated in the present specification.

As described in the specification on page 7, lines 21 to 23, the aliphatic sulfonic acid

obtained by hydrolyzing an alkylsufonyl halide may contain various halogen- and sulfur-containing

compounds as impurities other than the intended aliphatic sulfonic acid.

-7-

The invention as defined in claim 14 of this application makes it possible to obtain an excellent plating film by preparing a tin-containing plating bath containing, as a base acid, a purified aliphatic sulfonic acid obtained by purifying an aliphatic sulfonic acid obtained by hydrolyzing an alkyl sulfonyl halide in such a manner as to adjust the concentrations of sulfur-containing compounds in a tin-containing plating bath as follows: dimethyldisulfide is present in the bath in an amount of less than 200 ppm, S-methyl methanethiosulfonate is present in the bath in an amount of less than 4 ppm, α -chlorodimethylsulfone is present in the bath in an amount of less than 4 ppm, and α -methylsufonyl- α , α -dichlorodimethyl sulfone is present in the bath in an amount of less than 4 ppm.

In particular, it cannot be predicted from the description of Eiermann et al., or that of Nobel et al, or of the two references combined, that the reflowability, film appearance, etc., of plating films are sharply improved by the method of the present invention, in which the purified aliphatic sulfonic acid obtained by the process completely different from that of Eiermann et al. is used as a base acid for a tin-containing plating bath so as to meet the concentration limitations of claim 14.

Applicant therefore submits that claims 6 and 8 to 12, as amended, are not obvious over Eiermann et al. and Nobel et al., taken separately or in combination.

Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over WO 00/31027 ('027) and Eiermann et al. (U.S. Patent No. 6,531,629 B1) in combination with Nobel et al. (U.S. Patent No. 4,871,429) as applied to claims 1-12 above, and further in view of IBM (Technical Disclosure Bulletin, Vol. 32, No. 3B, August 1, 1989, pp. 36-37). (Office action, page 6)

The rejection is most in view of the cancellation of claim 13 without prejudice or disclaimer.

Claims 1, 6 and 8-13 are rejected under 35 U.S.C. 112, second paragraph, as being

indefinite for failing to particularly point out and distinctly claim the subject matter which

applicant regards as the invention. (Office action, page 7)

Reconsideration of the rejection is respectfully requested in view of the amendments to the

claims.

The Examiner states that the phrases "the content of dimethylsulfide," "the content of S-

methyl methanthiosulfonate," etc., lack antecedent basis.

The present claims have been amended for clarity to not use the term "the content."

With regard to claim 8, the Examiner refers to the wording "is one obtained by" in line 2, and

questions the meaning of the word "one." The word "one" has been deleted in this phrase in claims

8-11. Applicant submits that the word "one" was redundant, an there is no change in meaning by

this amendment.

The Examiner also refers to the phrase "subjecting an aliphatic sulfonic acid to concentration

under reduced pressure" in claim 8, asking whether this refers to the "purifying an aliphatic sulfonic

acid" in claim 1. The claims have been amended: "subjecting an the aliphatic sulfonic acid produced

by hydrolyzing an alkylsulfonyl halide to clarify this recitation.

-9-

U.S. Patent Application Serial No. 10/542,029 Amendment filed July 23, 2007 Reply to OA dated February 22, 2007

Claims 1, 6 and 8-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nobel et al. (U.S. Patent No. 4,871,429) in combination with Henderson et al. (U.S. Patent No. 5,583,253). (Office action, page 11)

Reconsideration of the rejection is respectfully requested in view of the amendments to the claims. The rejection of claim 1 is moot in view of the cancellation of claim 1 without prejudice or disclaimer. In the amendment, claims 6, 8, 9, 11 and 12 are amended to be method claims depend from new independent method claim 14, such that all of claims 6 and 8-12 depend ultimately from claim 14. Support for the claim amendments has been detailed above.

As discussed above, Nobel et al. discloses a tin-containing plating bath or a tin alloy-containing plating bath, but does not disclose or suggest using an aliphatic sulfonic acid which has been produced by hydrolyzing an alkylsulfonyl halide, then purifying Moreover, Nobel et al. does not disclose the adverse effects of specific sulfur-containing impurities on the properties of tin-containing plating films when an aliphatic sulfonic acid obtained by hydrolyzing an alkylsulfonyl halide is used as a base acid for a tin-containing plating bath.

Henderson et al. relates to a process of preparing purified alkanesulfonic acid, and discloses a process comprising treating a crude alkanesulfonic acid containing oxidizable impurities with chlorine to convert the oxidizable impurities to the corresponding alkanesulfonyl chloride, and hydrolyzing the alkanesulfonyl chloride to alkanesulfonic acid. However, as described in Henderson et al. column 2, lines 6 to 12, crude MSA to be purified in the process of Henderson et al. is prepared by the reaction of methyl mercaptan with chlorine and is **not** an aliphatic sulfonic acid obtained by

Amendment filed July 23, 2007

Reply to OA dated February 22, 2007

hydrolyzing an alkyl sulfonyl halide. Henderson et al. merely discloses a process of treating

oxidizable impurities contained in the above-mentioned crude MSA with chlorine to covert the

oxidizable impurities to MSC, and then hydrolyzing the MSC to yield MSA as a process of reducing

the oxidizable impurities contained in the crude MSA obtained by the above-described method.

More specifically, according to the process of Henderson et al. the alkanesulfonic acid to be purified

is a crude MSA obtained by the reaction of methyl mercaptan with chlorine as a main ingredient. An

alkyl sulfonyl halide is formed as a result of chlorinating the oxidizable impurities contained in a

crude MSA, and an aliphatic sulfonic acid obtained by hydrolyzing the alkyl sulfonyl halide is

merely a part of the purified alkanesulfonic acid. Moreover, Henderson et al. nowhere discloses

further purifying the aliphatic sulfonic acid obtained by hydrolyzing the alkyl sulfonyl halide.

Therefore, the combination of Henderson et al. with Nobel et al. would not meet the method

limitations of claim 14, in which a purified aliphatic sulfonic acid obtained by further purifying

aliphatic sulfonic acid obtained by hydrolyzing an alkyl sulfonyl halide is component (b), dissolved

in water in the preparation of the tin-containing plating bath.

Applicant submits that there is no suggestion in Henderson et al. for purifying the aliphatic

sulfonic acid obtained by such a specific production process. Moreover, there is no suggestion in

Henderson et al. for the compositional limitations of claim 14, since Henderson does not specifically

discuss making plating baths.

-11-

In addition, the advantages of reflowability, film appearance, etc., of plating films discussed

above for the present invention, are clearly unexpected over the combination of Nobel et al. and

Henderson et al.

Therefore, claims 6, 8 to 12, and 14 are not obvious over Eiermann et al. and Henderson et

al., taken separately or in combination.

Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nobel et al.

(U.S. Patent No. 4,871,429) in combination with Henderson et al. (U.S. Patent No. 5,583,253)

as applied to claims 1, 6 and 8-12 above, and further in view of IBM (Technical Disclosure

Bulletin, Vol. 32, No. 3B, August 1, 1989, pp. 36-37). (Office action, page 16)

The rejection is most in view of the cancellation of claim 13 without prejudice or disclaimer.

Reconsideration of the rejections is therefore respectfully requested.

If, for any reason, it is felt that this application is not now in condition for allowance, the

Examiner is requested to contact the Applicant's undersigned agent at the telephone number

indicated below to arrange for an interview to expedite the disposition of this case.

-12-

U.S. Patent Application Serial No. 10/542,029 Amendment filed July 23, 2007 Reply to OA dated February 22, 2007

In the event that this paper is not timely filed, the Applicant respectfully petitions for an appropriate extension of time. Please charge any fees for such an extension of time and any other fees which may be due with respect to this paper, to Deposit Account No. 01-2340.

Respectfully submitted,

KRATZ, QUINTOS & HANSON, LLP

Daniel A. Geselowitz, Ph.D.

Agent for Applicant Reg. No. 42,573

DAG/xl Atty. Docket No. **050448** Suite 400 1420 K Street, N.W. Washington, D.C. 20005 (202) 659-2930

23850

PATENT TRADEMARK OFFICE

Enclosure:

Petition for Extension of Time

Request for Continued Examination (RCE) Transmittal

H:\HOME\XLU\050\050448 Amendment acc RCE in re FOA of 2-22-07